

disapproved (sc 3/8/04)



PATENT
ATTORNEY DOCKET NO. 051626-5008

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Hitoshi KOMURO et al.

Application No.: 10/782,816

Filed: February 23, 2004

For: CIRCULATING BODY AND FIXING
DEVICE

) Confirmation No.: 5477

) Group Art Unit No.: 2852

) Examiner: Sophia S. Chen

) Mail Stop AMENDMENT

Commissioner for Patents
U.S. Patent and Trademark Office
Mail Stop Amendment
Alexandria, VA 22314-1450

Sir:


SUBMISSION OF REPLACEMENT DRAWINGS

To correct the informalities in the drawings, applicants submit herewith two (2) replacement sheets of drawings containing two (2) figures to conform the drawings to the requirements as noted on the non-Final Office Action dated December 28, 2005. Applicants add a suitable legend to indicate the composition of layers 126, 113, and 114 as shown in Figures 1 and 2, in accordance with MPEP § 608.02 and 37 C.F.R. § 1.84(o). The period for response expires of February 28, 2006 and this submission is on or before the expiration date.

If there are any fees due in connection with the filing of these drawings, the Commissioner is hereby authorized to charge any additional fees due to Deposit Account No. 50-0310.

Respectfully submitted,

MORGAN, LEWIS & BOCKIUS LLP

By: 

Jason E. Gettleman
Reg. No. 55,202

Dated: February 23, 2006
MORGAN, LEWIS & BOCKIUS LLP
1111 Pennsylvania Avenue, N.W.
Washington, D.C. 20004
Telephone: (202) 739-3000
Facsimile: (202) 739-3001